


SKS
Stefan Kohtz Service

Kranservice · Bagger · Landwirtschaft

Stefan Kohtz
Schulstr. 22
85652 Landsham

Tel 0172 - 7720700
Fax 089 - 9045356
www.sks-online.net




Montage non stop-orientation 360°
Montage non stop-Schwenken 360°
Erection non stop-Slewing 360°
Montaggio non stop-rotazione 360°

Mât et flèche galvanisés à chaud
Mast und Ausleger feuerverzinkt
Tower and jib galvanized
Torre e braccio zincati

M.H. TURBO 30



M.H. TURBO 30






Montage et calage hydrauliques Montage und Selbstabspindelung hydraulisch Hydraulics erection and disassembly Montaggio e smontaggio idraulici

Version sur vérin
Ausführung Abstützspindeln
Jacks version
Versione su stabilizzatori

Version voie droite
Ausführung gerade Schienenbahn
Straight track version
Versione traslazione dritta

Version voie courbe
Ausführung kurven Schienenbahn
Curved track version
Versione traslazione curva



Réactions - Eckdrücke - Reactions - Reazioni

R₁

● 18900 da N

■ 14400 da N

● En service

● In Betrieb

● In service

● In servizio

■ Hors service

■ Ausser Betrieb

■ Out of service

■ Fuori servizio

Poids de construction sans essieux - Konstruktionsgewicht ohne Transportachse -
Dead weight without transport axles - Peso della gru senza assali

Kg. 10700

Poids du lest - Ballastgewicht - Ballast weight - Peso zavorra rotante

Kg. 19300

Courbes de charges - Lastkurven - Load curves - Curve di carico

30 m.		9.3	10	12	14	16	16,7	18	20	22	24	26	28	30	m.
		4000	3680	2960	2450	2090	2000	1840	1630	1450	1310	1190	1090	1000	Kg

25 m.		→	10,1	12	14	16	18,24	20	22	24	25	m.
		→	4000	3200	2660	2280	2000	1800	1600	1450	1400	Kg

13 m.		→	→	12,45	12,8	m.
		→	→	4000	3890	Kg

Flèche relevée - Ausleger in Steilstellung
Luffing jib - Braccio impennato

1000 kg cost.

Mécanismes - Antriebe - Mechanisms - Meccanismi

			m/min.	kg	CV - PS hp	Kw
Levage Heben Hoisting Sollevamento			6	2000	3	2,2
			24	2000	12	8,8
			48	1300	14	10,3
			3	4000	3	2,2
			12	4000	12	8,8
			24	2600	14	10,3
Distribution - Katzfahren Trolleying - Carrello			20/40		1,5/3	1,1/2,2
Orientation - Schwenken Slewing - Rotazione			0,2/0,95 tr/min - U/min rpm - g/min		3,5 da N m kgm	
Translation - Kranfahren Travelling - Traslazione			30		2 x 1,5	2 x 1,1

Puissance électrique nécessaire
Anschlusswert
Necessary electric power
Potenza elettrica necessaria

380 V
50 Hz


Réseau - Netzstrom
Mains supply - Potenza

20 KVA



Groupe électrogène
Stromaggregat
Generator set
Gruppo elettrogeno

Nous consulter
Auf Anfrage
Consult us.
Consultarci

P₁ - kg	6500
P₂ - kg	9000
P_{Tot} - kg	15500



Montage - Montage - Erection - Montaggio



SKS
Stefan Kohtz Service

Kranservice · Bagger · Landwirtschaft

Stefan Kohtz
Schulstr. 22
85652 Landsham

Tel 0172 - 7720700
Fax 089 - 9045356
www.sks-online.net